



ITALIAN RESEARCH & INNOVATION

EVERYTHING WE DO IS AIMED TO IMPROVE PEOPLE'S WELLNESS AND BEAUTY

BioReTherapy



A complete biorevitalizing line with a medical peeling effect based on BioRePeelCl3[®] exfoliating power and post-treatment solutions, BioReHydra[®] serum and BioReLift[®] cream, specifically developed for normal, combination, dry and oily skin.

01. [BioRePeelCl3[®] - Biphasic Technology](#)

02. [BioRePeelCl3[®] FND](#)

03. [BioRePeelCl3[®] BODY](#)

04. [BioRePeelCl3[®] - Application](#)

05. [BioReTherapy - Post Treatment](#)

06. [BioReTherapy - Before and After](#)

07. [BioRePeelCl3[®] - Warnings](#)

BioRePeelCl₃[®]

BIPHASIC TECHNOLOGY



Differences between Biphasic Formulation and Monophasic Formulation:

BIPHASIC FORMULATION

1. Room temperature stability
2. No TCA oxidation
3. No formulation darkening and degradation
4. Functionalized lipophilic phase

MONOPHASIC FORMULATION - TCA


1. Preservation in fridge
2. Oxidation and denaturation
3. Unstable products
4. Darkening

BioRePeelCl₃[®]

BIPHASIC TECHNOLOGY




HOW IT WORKS



BioRePeelCl₃[®]

BIPHASIC TECHNOLOGY



LIPOPHILIC PHASE ACTIONS:

1. Stabilizing and protective

It prevents trichloroacetic acid oxidation and stabilizes the formulation separating the aqueous phase from the oxidating atmosphere inside the ampoule. It consequently improves the performance and effectiveness of the product.

2. Film formation and vehiculating

It reduces trans-epidermic water evaporation and assists active principles' vehiculation.

3. Regenerating


It restores and maintains cutaneous hydro-lipidic film.

4. Moisturizing

It increase hydration through direct and indirect mechanisms.

BioRePeelCl₃[®]

BIPHASIC TECHNOLOGY



HYDROPHILIC PHASE ACTIONS:

1. Biostimulating

It stimulates fibroblasts' activity and activates cutaneous proliferating and biosynthetic processes.

2. Revitalizing

It increases cellular turnover and production of collagen, elastin and hyaluronic acid.

3. Peeling

It removes outer cells of stratum corneum by breaking corneocytes' adhesion bonds. This process promotes active principles penetration.

4. Anti acne - enlarged pores comedones

It helps battling acne, it eliminates comedones and it has an astringent effect on enlarged pores.

BioRePeelCl₃[®]

BIPHASIC TECHNOLOGY

FEATURES

- NO NEEDLES
- PAINLESS
- FAST
- MULTIFUNCTIONAL
- IMMEDIATE RESULT
- NO POST TREATMENT SIGNS
- FOR THE WHOLE BODY
- FOR ALL AGES
- FOR ALL SKIN TYPES
- FOR ALL SEASONS
- NO PHOTSENSIBILIZATION

4 FUNCTIONAL COMPLEXES

Bio

GLYCINE, PROLINE, HYDROXYPROLINE, VITAMIN C

Re

GABA, ARGININE, RIBOFLAVIN

Peel


TCA, LACTOBIONIC ACID, SALICYLIC ACID, TARTARIC ACID, CITRIC ACID

Lip

SQUALANE, ISOPROPYL MYRISTATE

BioRePeelCl₃[®]

BIPHASIC TECHNOLOGY



OVERVIEW:

The **lipophilic** phase floats on the hydrophilic phase protecting it from the oxygen inside the bottle.

The mechanic barrier stabilizes the hydrophilic phase: TCA and other active ingredients do not oxidize.

The density difference between the two phases guarantees constant protection even after shaking.

BioRePeelCl₃[®] FND

FACE | NECK | DÉCOLLETÉ



TCA 35%

- Lactobionic Acid
- Salicylic Acid
- Tartaric Acid and Citric Acid
- Glycine, Proline, Hydroxyproline and Arginine
- Vitamins C and B2
- *Gamma*-Aminobutyric Acid
- Squalane
- Isopropyl Myristate

FORMAT 5 vials x 6 mL each

USE PROTOCOL:

Apply on the affected area every 7-10 days for up to 4-6 sessions depending on medical evaluation and treatment targets.

EXPOSURE TIME:

3-5 minutes according to patients tolerance.



BioRePeelCl₃[®] BODY

HANDS | ELBOWS | BUTTOCKS | KNEES | FEET



TCA 50%

- Lactobionic Acid
- Salicylic Acid
- Tartaric Acid and Citric Acid
- Glycine, Proline, Hydroxyproline and Arginine
- Vitamins C and B2
- *Gamma*-Aminobutyric Acid
- Squalane
- Isopropyl Myristate

FORMAT 3 vials x 12 mL each

USE PROTOCOL:

Apply on the affected area every 10-12 days for up to 4-6 sessions depending on medical evaluation and treatment targets.

EXPOSURE TIME:


3-10 minutes according to patients tolerance.




BioRePeelCl₃[®]

BIPHASIC TECHNOLOGY

APPLICATION



1. Shake the ampoule for a few seconds until colour turns green for a temporary emulsion.



2. Using a syringe, prelate the quantity of product for the treatment. REMOVE THE NEEDLE.



3. Apply the product with nitrile gloves on treated area and massage until it is completely absorbed.



4. After the exposure time, carefully clean the zone with a gauze soaked with water.



N.B. After a few minutes the product in the vials will return to its initial biphasic state. It is necessary to shake the ampoule before every use.

BioRePeelCl₃[®]

BIPHASIC TECHNOLOGY

ASSOCIATIONS

You can use BioRePeelCl₃[®] also in synergy with other treatments to improve their performance and result:

KIND OF TREATMENT	WHEN BioRePeelCl ₃ [®]
INJECTABLE TREATMENTS	Before
PHOTO STIMULATION	Before
RADIOFREQUENCY	After
TOPICAL TREATMENT	Before
PIMPLE POPPING	After



BioReTherapy

POST TREATMENT CARE



We created BioReHydra[®] and BioReLift[®] to improve the results obtained during and after the BioRePeelCl3[®] protocol

BioReLift[®]

30 mL for home use

200 mL for outpatient use

BioReHydra[®]

30 mL for home use

200 mL for outpatient use

BioReHydra[®]

POST TREATMENT CARE



It is a post treatment **serum**, a fast-absorbing hydrogel with light texture.

It donates a fresh skin feel, with moisturizing and lifting effect from the first application.

The formulation has over **15 active ingredients** such as:

- 3 Oceans' extracts:
 - Atlantic Ocean
 - Pacific Ocean
 - Indian Ocean
- Micronized Hyaluronic Acid
- Vitamins
- GABA
- Amino acids

Specific for
Oily Skin

30 mL for home use

200 mL for outpatient use

BioReLift[®]

POST TREATMENT CARE



It is a post treatment **cream**, presented as a soft, easily absorbed emulsion.

With a silky texture, it donates an enveloping skin feel from the first use.

The formulation has over **20 active ingredients** such as:

- Micronized Hyaluronic Acid
- 4 Biomimetic Peptides
- Argan & Almond oils
- Colloidal Platinum
- Shea butter
- Vitamins
- Bisabolol
- Amino acids

Specific for
Dry Skin

30 mL for home use

200 mL for outpatient use

BioReTherapy

POST TREATMENT CARE



BioReHydra[®] and BioReLift[®] as
BioRePeelCl3[®] can be used for:

WHOLE BODY

ALL AGE

ALL SKIN TYPES

ALL SEASON

BioReTherapy

BioReHydra[®] and BioReLift[®] 2 sizes for 2 main needs:

200 mL

30 mL



In the clinic

Specific for the physician to offer a synergistic post-treatment to the BioRePeelCl₃[®] protocol and to improve the excellent results obtained during the outpatient treatment.

When?

- Immediately after BioRePeelCl₃[®] treatment
- Immediately after radiofrequency treatment
- Immediately after laser & photostimulation treatment



At home

For the patient to have a specifically-developed home treatment, which enhances the results and benefits of the BioRePeelCl₃[®] treatment between one session and another.


When?

- In the morning or evening during BioRePeelCl₃[®] protocol
- In the morning or evening after BioRePeelCl₃[®] treatment ends
- As coadjuvants for other aesthetic procedures

BioReTherapy

How to use BioReHydra[®] and BioReLift[®] at home?

Dry skin




MORNING



+




EVENING

Normal or
combination skin




MORNING



+




EVENING

Oily skin




MORNING



+




EVENING



BEFORE



AFTER



BEFORE



AFTER



BEFORE



AFTER



BEFORE



AFTER



BEFORE



AFTER

BioRePeelCl₃[®]



Avoid contact with eyes, mucous membranes and nails.

In case of accidental contact, rinse with plenty of water or eye washer.

Avoid the combination with retinol, retinoids (i.e.: isotretinoin) and derivatives. Usage should be stopped one month before for topical application, three months for oral formulations



EVERYTHING WE DO IS AIMED TO IMPROVE PEOPLE'S WELLNESS AND BEAUTY